


What is claimed is:

1. A compound represented by the following structure:



10 wherein:

R¹ is a radical selected from the group consisting of -C(O)H, -CH₂OH, -CH=NNMe₂, -C(O)CF₃, and -CH(OH)CF₃;

R² is a radical selected from the group consisting of -OH, -OtBu, glutamyl, and oligoglutamyl;

R³ is a radical selected from the group consisting of -OH, -OtBu, glutamyl, and oligoglutamyl;

each glutamyl being independently represented by the formula:

-NHCH(C(O)R⁴)(CH₂)₂C(O)R⁵, wherein R⁴ and R⁵ are each radicals

independently selected from the group consisting of -OH and -OtBu;

each oligoglutamyl having at least one terminal glutamyl and between one and four non-terminal glutamyl residues;

each terminal glutamyl being independently represented by the formula

-NHCH(C(O)R⁴)(CH₂)₂C(O)R⁵, wherein R⁴ and R⁵ are each radicals

independently selected from the group consisting of -OH and -OtBu;

each non-terminal glutamyl being independently represented by the formula

-NHCH(C(O)R⁶)(CH₂)₂C(O)R⁷, wherein R⁶ and R⁷ are each radicals


independently selected from the group consisting of -OH, -OtBu,

terminal glutamyl, and non-terminal glutamyl;

with a proviso that at least one of R⁶ and R⁷ is either terminal glutamyl or non-terminal glutamyl.


2. A compound according to claim 1 represented by the following structure:

5



3. A compound according to claim 1 represented by the following structure:


10



15

4. A compound according to claim 1 represented by the following structure:

20



25

wherein


R^8 is a radical selected from the group consisting of $-C(O)H$ and $-C(O)CF_3$; and

R^9 and R^{10} are each a radical independently selected from the group consisting of $-H$ and $-tBu$.

30

5. A compound according to claim 1 represented by the following structure:

5



wherein

10 R^8 is a radical selected from the group consisting of $-C(O)H$ and $-C(O)CF_3$; and

R^9 and R^{10} are each a radical independently selected from the group consisting of $-H$ and $-tBu$.

15 6. A process for inhibiting glycine ribonucleotide transformylase comprising the step of contacting the glycine ribonucleotide transformylase with an inhibiting concentration of a compound described in claims 1-5.

20 7. A process for inhibiting aminoimidazole carboxamide ribonucleotide transformylase comprising the step of contacting the aminoimidazole carboxamide ribonucleotide transformylase with an inhibiting concentration of a compound described in claims 1-5.